

Safety Data Sheet 900530

	Date of issue: 07/08/2015         Supersedes: 03/19/2018         Version: 2.1
SECTION 1: Identification	
1.1. Identification	
Product form	: Mixtures
Product name	: Oxygen (0.000001% - 19.49%) in Nitrogen
Product code	: CSL-01587
1.2. Recommended use and re	
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Supplier Chemtron Science Laboratories Pvt. I EL-47, Electronics Zone, Mahape MID Navi Mumbai 400710. Ind www.chemtronscience.com	
1.4. Emergency telephone num	nber
Emergency number	: +91-22-67847300
SECTION 2: Hazard(s) ident	ification
2.1. Classification of the subst	tance or mixture
GHS-US classification	
Gases under pressure H280 Compressed gas Full text of H statements : see section	Contains gas under pressure; may explode if heated
2.2. GHS Label elements, inclu	uding precautionary statements
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS04
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H280 - Contains gas under pressure; may explode if heated
Precautionary statements (GHS-US)	<ul> <li>OSHA-H01 - May displace oxygen and cause rapid suffocation</li> <li>P202 - Do not handle until all safety precautions have been read and understood.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear eye protection, face protection, protective gloves, protective clothing.</li> <li>P308+P313 - If exposed or concerned: Get medical advice/attention.</li> <li>P403 - Store in a well-ventilated place.</li> <li>P501 - Dispose of contents/container in accordance with</li> <li>local/regional/national/international regulations</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C/125 °F</li> <li>CGA-PG05 - Use a back flow preventive device in the piping</li> <li>CGA-PG06 - Close valve after each use and when empty CGA-</li> <li>PG10 - Use only with equipment rated for cylinder pressure</li> <li>CGA-PG14 - Approach suspected leak area with caution CGA-</li> <li>PG21 - Open valve slowly</li> </ul>
2.3. Other hazards which do n	ot result in classification
No additional information available	

2.4. Unknown acute toxicity (GHS US)

Not applicable

Safety Data Sheet

### SECTION 3: Composition/Information on ingredients

### 3.1. Substances

### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Nitrogen	(CAS-No.) 7727-37-9	80.51 -	Press. Gas (Comp.), H280
		99.999999	
Oxygen	(CAS-No.) 7782-44-7	0.000001 -	Ox. Gas 1, H270
		19.49	Press. Gas (Comp.), H280

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effect	cts (acute and delayed)
Symptoms/effects after inhalation	: May displace oxygen and cause rapid suffocation.
Symptoms/effects after skin contact	: Adverse effects not expected from this product.
Symptoms/effects after eye contact	: Adverse effects not expected from this product.
Symptoms/effects after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/effects upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.

### 4.3. Immediate medical attention and special treatment, if necessary If

you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguish	ing media
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Specific hazards arising from the ch	emical
Fire hazard	: The product is not flammable.
Explosion hazard	: Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: None known.
Hazardous combustion products	: None
5.3. Special protective equipment and pr	ecautions for fire-fighters
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g, Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	lipment and emergency procedures
General measures	: Ensure adequate ventilation.
6.1.1. For non-emergency personnel	

Protective equipment : Wear protective equipment consist	ent with the site emergency plan.
5 51	. Close doors and windows of adjacent premises. Keep er area. Seal off low-lying areas. Keep upwind.

Safety Data Sheet

6.1.2. For emergency responders	
Protective equipment	: Standard protective clothing and equipment (e.g, Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emergency procedures	: Evacuate and limit access. Ventilate area.
6.2. Environmental precautions	
Try to stop release if without risk.	
6.3. Methods and material for contain	nment and cleaning up
For containment Methods for cleaning up	<ul> <li>Try to stop release if without risk.</li> <li>Dispose of contents/container in accordance with local/regional/national/international regulations.</li> </ul>
6.4. Reference to other sections	
See also Sections 8 and 13.	
SECTION 7: Handling and storage	9
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known.

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters
-------------------------

Nitrogen (7727-37-9)		
ACGIH Remark (ACGIH) Simple Asphyxiant		
Oxygen (7782-44-7)		
Not applicable		

8.2. Appropriate engineering controls	
Appropriate engineering controls	Ensure exposure is below occupational exposure limits (where available). Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released.
Environmental exposure controls	Consider the use of a work permit system e.g. for maintenance activities. Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand protection

### Eye protection:

Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face

### Protection Skin and body protection:

Wear suitable protective clothing, e.g. lab coats, coveralls or flame resistant clothing.

#### **Respiratory protection:**

### Safety Data Sheet

None necessary during normal and routine operations. See Sections 5 & 6.

### Thermal hazard protection:

None necessary during normal and routine operations.

### Other information:

Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	
Physical state	: Gas
Appearance	: Clear, colorless gas.
Color	: Colorless
Odor	: Odorless
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable - not flammable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: See Section 2.1 and 2.2
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Relative gas density	: Similar to air
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable - not flammable
Explosive properties	: Not applicable (non-flammable gas).
Oxidizing properties	: None.
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivit	у
10.1. Reactivity	
None known.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
None known.	
10.4. Conditions to avoid	
None under recommended storage and handlin	ng conditions (see section 7).
10.5. Incompatible materials	
None known.	
10.6. Hazardous decomposition product	S

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Nitrogen (7727-37-9)		
LC50 inhalation rat (ppm)	820000 ppm/4h	
ATE US (gases)	820000.000 ppmV/4h	
Oxygen (7782-44-7)		
LC50 inhalation rat (ppm)	800000 ppm/4h	
ATE US (gases)	800000.000 ppmV/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: Not classified	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>May displace oxygen and cause rapid suffocation.</li> <li>Adverse effects not expected from this product.</li> <li>Adverse effects not expected from this product.</li> <li>Ingestion is not considered a potential route of exposure.</li> <li>Not known.</li> </ul>	
Chronic symptoms	: Adverse effects not expected from this product.	

### SECTION 12: Ecological information

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

Nitrogen (7727-37-9)         Persistence and degradability       No ecological damage caused by this product.         Oxygen (7782-44-7)         Persistence and degradability       No ecological damage caused by this product.         12.3.       Bioaccumulative potential         Nitrogen (7727-37-9)       Log Pow         Log Pow       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         Oxygen (7782-44-7)       Log Pow         Log Pow       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         Oxygen (7782-44-7)       Log Pow         Log Pow       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         12.4.       Mobility in soil         Nitrogen (7727-37-9)       Vertical damage caused by this product.			
Oxygen (7782-44-7)         Persistence and degradability       No ecological damage caused by this product.         12.3. Bioaccumulative potential         Nitrogen (7727-37-9)         Log Pow       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         Oxygen (7782-44-7)       Log Pow         Log Pow       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         Oxygen (7782-44-7)       Log Pow         Bioaccumulative potential       Not applicable for inorganic gases.         Bioaccumulative potential       Not applicable for inorganic gases.         Bioaccumulative potential       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         12.4.       Mobility in soil	Nitrogen (7727-37-9)		
Persistence and degradability       No ecological damage caused by this product.         12.3.       Bioaccumulative potential         Nitrogen (7727-37-9)       Image: Comparison of the second	Persistence and degradability	No ecological damage caused by this product.	
12.3. Bioaccumulative potential         Nitrogen (7727-37-9)         Log Pow       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         Oxygen (7782-44-7)       Log Pow         Bioaccumulative potential       Not applicable for inorganic gases.         Bioaccumulative potential       Not applicable for inorganic gases.         Bioaccumulative potential       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         12.4.       Mobility in soil	Oxygen (7782-44-7)		
Nitrogen (7727-37-9)         Log Pow       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         Oxygen (7782-44-7)       Log Pow         Bioaccumulative potential       Not applicable for inorganic gases.         Bioaccumulative potential       Not applicable for inorganic gases.         Bioaccumulative potential       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         12.4.       Mobility in soil	Persistence and degradability	No ecological damage caused by this product.	
Log Pow       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         Oxygen (7782-44-7)       Vot applicable for inorganic gases.         Bioaccumulative potential       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         12.4.       Mobility in soil	12.3. Bioaccumulative potential		
Bioaccumulative potential       No ecological damage caused by this product.         Oxygen (7782-44-7)       Image: Caused by this product.         Log Pow       Not applicable for inorganic gases.         Bioaccumulative potential       No ecological damage caused by this product.         12.4.       Mobility in soil	Nitrogen (7727-37-9)		
Oxygen (7782-44-7)     Not applicable for inorganic gases.       Log Pow     Not applicable for inorganic gases.       Bioaccumulative potential     No ecological damage caused by this product.       12.4.     Mobility in soil	Log Pow	Not applicable for inorganic gases.	
Log Pow     Not applicable for inorganic gases.       Bioaccumulative potential     No ecological damage caused by this product.       12.4.     Mobility in soil	Bioaccumulative potential	No ecological damage caused by this product.	
Bioaccumulative potential     No ecological damage caused by this product.       12.4.     Mobility in soil	Oxygen (7782-44-7)		
12.4. Mobility in soil	Log Pow	Not applicable for inorganic gases.	
	Bioaccumulative potential	No ecological damage caused by this product.	
Nitrogen (7727-37-9)	12.4. Mobility in soil		
	Nitrogen (7727-37-9)		
Ecology - soil No ecological damage caused by this product.	Ecology - soil	No ecological damage caused by this product.	
Oxygen (7782-44-7)			
	Ecology - soil	No ecological damage caused by this product.	

# Oxygen (0.000001% - 19.49%) in Nitrogen Safety Data Sheet

12.5. Other adverse effects	· No known effects from this product
Effect on ozone layer	: No known effects from this product.
Effect on global warming GWPmix comment	No known effects from this product.     No known effects from this product.
Gwpmix comment	. No known ellects from this product.
SECTION 13: Disposal consideration	IS
13.1. Disposal methods	
Waste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.
Product/Packaging disposal recommendations	<ul> <li>Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.</li> </ul>
Ecology - waste materials	: None known.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN1956 Compressed gas, n.o.s. (Oxygen, Nitrogen), 2.2
UN-No.(DOT)	: UN1956
Proper Shipping Name (DOT)	: Compressed gas, n.o.s.
Hazard labels (DOT)	: 2.2 - Non-flammable gas
	NON-FLAMMABLE GAS
DOT Packaging Non Bulk (49 CFR	: 302;305
173.xxx) DOT Packaging Bulk (49 CFR	: 314;315
173.xxx) DOT Symbols DOT Packaging Exceptions (49 CFR 173.xxx)	: G - Identifies PSN requiring a technical name : 306;307
DOT Quantity Limitations Passenger	: 75 kg
aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport by sea	
Transport document description (IMDG)	: UN 1956 COMPRESSED GAS, N.O.S., 2
UN-No. (IMDG)	
Proper Shipping Name (IMDG) Class (IMDG)	: COMPRESSED GAS, N.O.S. : 2 - Gases
Limited quantities (IMDG)	: 120 ml
Air transport	
Transport document description (IATA)	: UN 1956 COMPRESSED GAS, N.O.S., 2.2
	: 1956
UN-No. (IATA)	. 1000
UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA)	: COMPRESSED GAS, N.O.S. : 2

Safety Data Sheet

### SECTION 15: Regulatory information

### 15.1. US Federal regulations

## Nitrogen (7727-37-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Oxygen (7782-44-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

### Nitrogen (7727-37-9)

Listed on the Canadian DSL (Domestic Substances List)

### Oxygen (7782-44-7)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

### Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Oxygen (7782-44-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

### Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

### Oxygen (7782-44-7)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

### Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

### Oxygen (7782-44-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

# SECTION 16: Other information Other information : This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29

CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

#### Full text of H-phrases:

H270	May cause or intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Chemtron and its affiliates' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.